

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

1.1 COMPANY IDENTIFICATION

Company's Name: Trulux Pty Ltd
Email address: info@trulux.com.au
Website: www.trulux.com.au
Contact number: +61 (02) 9975 2655
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

1.2 PRODUCT IDENTIFICATION

Trade name: Aloe Vera Extract 200:1
Reference number: RMTR-0116A
Classification: This chemical is not classified as hazardous according to the WHS Regulations and the ADG Code.

1.3 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses: Raw Material
Uses advised against: No further information available.

1.4 DETAILS OF THE SUPPLIER OF THE SUBSTANCE INFORMATION SHEET

Supplier's Company: Trulux Pty Ltd
Website: www.trulux.com.au
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

1.5 EMERGENCY CONTACTS – INSTITUTIONAL CENTRES

Australia

Poisons Information Centre 13 11 26

2 HAZARD IDENTIFICATION

Classification of the substance or mixture: NON-HAZARDOUS CHEMICAL. NON-DANGEROUS GOODS.
According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS: Flammability 1
Toxicity 1
Body Contact 1
Reactivity 1

3 COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient Name	CAS Number	Concentration (%)
Aloes, extract	85507-69-3	100

4 FIRST AID MEASURES

Inhalation: If dust is inhaled, remove from contaminated area. Encourage patient to blow nose to ensure clear passage of breathing. If irritation or discomfort persists seek medical attention.

Ingestion: If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Skin contact: If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Eye contact: If this product comes in contact with the eyes: Wash out immediately with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5 FIRE FIGHTING MEASURES

Suitable extinguishing media: Water spray or fog. Foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide.

Special hazards arising from the substance or mixture: Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Advice for firefighters

- **Fire Fighting:** Alert Fire Brigade and tell them the location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water courses. Use water delivered as a fine spray to control fire and cool adjacent area. DO NOT approach containers suspected to be hot. Cool fire exposed containers with water spray from a protected location. If safe to do so, remove containers from path of fire. Equipment should be thoroughly decontaminated after use.

- **Fire/Explosion Hazard:**

Combustible solid which burns but propagates flame with difficulty; it is estimated that most organic dusts are combustible (circa 70%) - according to the circumstances under which the combustion process occurs, such materials may cause fires and / or dust explosions.

Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).

Avoid generating dust, particularly clouds of dust in a confined or unventilated space as dusts may form an explosive mixture with air, and any source of ignition, i.e. flame or spark, will cause fire or explosion. Dust clouds generated by the fine grinding of the solid are a particular hazard; accumulations of fine dust (420 micron or less) may burn rapidly and fiercely if ignited - particles exceeding this limit will generally not form flammable dust clouds; once initiated, however, larger particles up to 1400 microns diameter will contribute to the propagation of an explosion.

In the same way as gases and vapours, dusts in the form of a cloud are only ignitable over a range of concentrations; in principle, the concepts of lower explosive limit (LEL) and upper explosive limit (UEL) are applicable to dust clouds but only the LEL is of practical use; - this is because of the inherent difficulty of achieving homogeneous dust clouds at high temperatures (for dusts the LEL is often called the "Minimum Explosible Concentration", MEC).

When processed with flammable liquids/vapors/mists, ignitable (hybrid) mixtures may be formed with combustible dusts. Ignitable mixtures will increase the rate of explosion pressure rise and the Minimum

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

TR Ref. Number: RMTR-0116A

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Ignition Energy (the minimum amount of energy required to ignite dust clouds - MIE) will be lower than the pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the vapors/mists or dusts.

pure dust in air mixture. The Lower Explosive Limit (LEL) of the vapour/dust mixture will be lower than the individual LELs for the vapors/mists or dusts. A dust explosion may release of large quantities of gaseous products; this in turn creates a subsequent pressure rise of explosive force capable of damaging plant and buildings and injuring people.

Usually the initial or primary explosion takes place in a confined space such as plant or machinery, and can be of sufficient force to damage or rupture the plant. If the shock wave from the primary explosion enters the surrounding area, it will disturb any settled dust layers, forming a second dust cloud, and often initiate a much larger secondary explosion. All large scale explosions have resulted from chain reactions of this type.

Dry dust can be charged electrostatically by turbulence, pneumatic transport, pouring, in exhaust ducts and during transport.

Build-up of electrostatic charge may be prevented by bonding and grounding.

Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting.

All movable parts coming in contact with this material should have a speed of less than 1-meter/sec.

A sudden release of statically charged materials from storage or process equipment, particularly at elevated temperatures and/ or pressure, may result in ignition especially in the absence of an apparent ignition source.

One important effect of the particulate nature of powders is that the surface area and surface structure (and often moisture content) can vary widely from sample to sample, depending of how the powder was manufactured and handled; this means that it is virtually impossible to use flammability data published in the literature for dusts (in contrast to that published for gases and vapours).

Autoignition temperatures are often quoted for dust clouds (minimum ignition temperature (MIT)) and dust layers (layer ignition temperature (LIT)); LIT generally falls as the thickness of the layer increases.

Combustion products include:carbon monoxide (CO), carbon dioxide (CO₂), other pyrolysis products typical of burning organic materialMay emit poisonous fumes.May emit corrosive fumes.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

6 ACCIDENTAL RELEASE MEASURES

Methods and material for containment and cleaning up

- Minor Spills Remove all ignition sources. Clean up all spills immediately. Avoid contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Use dry clean up procedures and avoid generating dust. Place in a suitable, labelled container for waste disposal.

 - Major Spills Moderate hazard. CAUTION: Advise personnel in area. Alert Emergency Services and tell them location and nature of hazard. Control personal contact by wearing protective clothing. Prevent, by any means available, spillage from entering drains or water courses. Recover product wherever possible. IF DRY: Use dry clean up procedures and avoid generating dust. Collect residues and place in sealed plastic bags or other containers for disposal. IF WET: Vacuum/shovel up and place in labelled containers for disposal. ALWAYS: Wash area down with large amounts of water and prevent runoff into drains. If contamination of drains or waterways occurs, advise Emergency Services.
-

7 HANDLING AND STORAGE

Precautions for safe handling:

Safe handling

Avoid all personal contact, including inhalation.

Wear protective clothing when risk of exposure occurs.

Use in a well-ventilated area.

Trade Name: Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Prevent concentration in hollows and sumps.

DO NOT enter confined spaces until atmosphere has been checked.

DO NOT allow material to contact humans, exposed food or food utensils.

Avoid contact with incompatible materials.

When handling, DO NOT eat, drink or smoke.

Keep containers securely sealed when not in use.

Avoid physical damage to containers.

Always wash hands with soap and water after handling.

Work clothes should be laundered separately. Launder contaminated clothing before re-use.

Use good occupational work practice.

Observe manufacturer's storage and handling recommendations contained within this SDS.

Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

Organic powders when finely divided over a range of concentrations regardless of particulate size or shape and suspended in air or some other oxidizing medium may form explosive dust-air mixtures and result in a fire or dust explosion (including secondary explosions).

Minimise airborne dust and eliminate all ignition sources. Keep away from heat, hot surfaces, sparks, and flame.

Establish good housekeeping practices.

Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.

Use continuous suction at points of dust generation to capture and minimise the accumulation of dusts.

Particular attention should be given to overhead and hidden horizontal surfaces to minimise the probability of a "secondary" explosion. According to NFPA Standard 654, dust layers 1/32 in.(0.8 mm) thick can be sufficient to warrant immediate cleaning of the area.

Do not use air hoses for cleaning.

Minimise dry sweeping to avoid generation of dust clouds. Vacuum dust-accumulating surfaces and remove to a chemical disposal area. Vacuums with explosion-proof motors should be used.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Control sources of static electricity. Dusts or their packages may accumulate static charges, and static discharge can be a source of ignition.

Solids handling systems must be designed in accordance with applicable standards (e.g. NFPA including 654 and 77) and other national guidance.

Do not empty directly into flammable solvents or in the presence of flammable vapors.

The operator, the packaging container and all equipment must be grounded with electrical bonding and grounding systems. Plastic bags and plastics cannot be grounded, and antistatic bags do not completely protect against development of static charges.

Empty containers may contain residual dust which has the potential to accumulate following settling. Such dusts may explode in the presence of an appropriate ignition source.

Do NOT cut, drill, grind or weld such containers.

In addition ensure such activity is not performed near full, partially empty or empty containers without appropriate workplace safety authorisation or permit.

Other information

Material is hygroscopic, i.e. absorbs moisture from the air. Keep containers well sealed in storage.

Store in original containers.

Keep containers securely sealed.

Store in a cool, dry area protected from environmental extremes.

Store away from incompatible materials and foodstuff containers.

Protect containers against physical damage and check regularly for leaks.

Observe manufacturer's storage and handling recommendations contained within this SDS.

For major quantities: Consider storage in bunded areas - ensure storage areas are isolated from sources of community water (including stormwater, ground water, lakes and streams).

Ensure that accidental discharge to air or water is the subject of a contingency disaster management plan; this may require consultation with local authorities.

Conditions for safe storage, including any incompatibilities

Suitable Container

Polyethylene or polypropylene container.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

TR Ref. Number: RMTR-0116A

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Check all containers are clearly labelled and free from leaks.

Storage Incompatibility

Avoid reaction with oxidising agents.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Controls:

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation is required where solids are handled as powders or crystals; even when particulates are relatively large, a certain proportion will be powdered by mutual friction.

Exhaust ventilation should be designed to prevent accumulation and recirculation of particulates in the workplace.

If in spite of local exhaust an adverse concentration of the substance in air could occur, respiratory protection should be considered. Such protection might consist of:

- (a): particle dust respirators, if necessary, combined with an absorption cartridge;
- (b): filter respirators with absorption cartridge or canister of the right type;

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

(b): filter respirators with absorption cartridge or canister of the right type;

Build-up of electrostatic charge on the dust particle, may be prevented by bonding and grounding. Powder handling equipment such as dust collectors, dryers and mills may require additional protection measures such as explosion venting. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to efficiently remove the contaminant.

Type of Contaminant:	Air Speed:
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 4-10 m/s (800-2000 f/min) for extraction of crusher dusts generated 2 metres distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Eye and face protection

Safety glasses with side shields.

Chemical goggles.

Trade Name: Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent].

Hands/feet protection

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity

Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

TR Ref. Number: RMTR-0116A

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

- When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.
- Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.
- Contaminated gloves should be replaced.

For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.

It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task requirements and knowledge of breakthrough times.

Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.

Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:

- Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.
- Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential.

Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.

Experience indicates that the following polymers are suitable as glove materials for protection against undissolved, dry solids, where abrasive particles are not present.

polychloroprene.

nitrile rubber.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

TR Ref. Number: RMTR-0116A

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

butyl rubber.

fluorocaoutchouc.

polyvinyl chloride.

Gloves should be examined for wear and/ or degradation constantly.

Other protection

Overalls.

P.V.C. apron.

Barrier cream.

Skin cleansing cream.

Eye wash unit.

Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Required Minimum Protection Factor	Half-Face Respirator	Full-Face Respirator	Powered Air Respirator
up to 10 x ES	P1 Air-line*	-	PAPR-P1 -
up to 50 x ES	Air-line**	P2	PAPR-P2
up to 100 x ES	-	P3	-
		Air-line*	-
100+ x ES	-	Air-line**	PAPR-P3

* - Negative pressure demand ** - Continuous flow

A(All classes) = Organic vapours, B AUS or B1 = Acid gasses, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 °C)

Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.

Trade Name: Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure - ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).

Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.

Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.

Use approved positive flow mask if significant quantities of dust becomes airborne.

Try to avoid creating dust conditions.

9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance: Light cream to beige fine powder with light vegetable odour; soluble in water.

Physical State: Divided Solid

Water solubility: Miscible

pH as a solution (1%): 3.5 - 5

10 STABILITY AND REACTIVITY

Chemical Stability: Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

- **Inhaled:** There is some evidence to suggest that the material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Persons with impaired respiratory function, airway diseases and conditions such as emphysema or chronic bronchitis, may incur further disability if excessive concentrations of particulate are inhaled. If prior damage to the circulatory or nervous systems has occurred or if kidney damage has been sustained, proper screenings should be conducted on individuals who may be exposed to further risk if handling and use of the material result in excessive exposures.
- **Ingestion:** Accidental ingestion of the material may be damaging to the health of the individual. Constant use of purgatives/laxatives may decrease the sensitivity of the intestinal mucosa causing a diminished response to normal stimuli. The redevelopment of a normal habit is thus prevented. Anthraquinone purgatives can darken urine and stools.
- **Skin Contact:** The material is not thought to be a skin irritant (as classified by EC Directives using animal models). Abrasive damage however, may result from prolonged exposures. Skin contact with the material may damage the health of the individual; systemic effects may result following absorption. Open cuts, abraded or irritated skin should not be exposed to this material. Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

-
- **Eye:** There is some evidence to suggest that this material can cause eye irritation and damage in some persons.
 - **Chronic:** Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Long term exposure to high dust concentrations may cause changes in lung function i.e. pneumoconiosis, caused by particles less than 0.5 micron penetrating and remaining in the lung. Extended use of purgatives and laxatives can cause a profuse, watery diarrhoea with severe dehydration, mineral losses, weakness and weight loss. Absorption from the bowel may become impaired and damage to the heart and kidneys can also occur.

12 ECOLOGICAL INFORMATION

No further information available.

13 DISPOSAL CONSIDERATIONS

Waste treatment methods: Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked. A Hierarchy of Controls seems to be common - the user should investigate:
Reduction / Reuse / Recycling / Disposal (if all else fails)
This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. Shelf life considerations

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

Rev.: 02

TR Ref. Number: RMTR-0116A

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate. In most instances the supplier of the material should be consulted.

DO NOT allow wash water from cleaning or process equipment to enter drains.

It may be necessary to collect all wash water for treatment before disposal. In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.

Where in doubt contact the responsible authority.

14 TRANSPORT INFORMATION

Land transport (ADG): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

15 REGULATORY AND OTHER INFORMATION

Safety, health and environmental regulations specific for the mixture or substance:

ALOES, EXTRACT(85507-69-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

INVENTORY STATUS:

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

Australia - AICS: Y

Canada - DSL: Y

Canada - NDSL: N (Aloes, extract)

China - IECSC: Y

Europe - EINEC / ELINCS / NLP: Y

Japan - ENCS: N (Aloes, extract)

Korea - KECI: N (Aloes, extract)

New Zealand - NZIoC: Y

Philippines - PICCS: Y

USA - TSCA: N (Aloes, extract)

Legend:

Y = All ingredients are on the inventory

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

16 OTHER INFORMATION

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition or other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user.

This sheet completes the technical sheets but it does not replace them. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied is made and Trulux Pty Ltd assumes no legal responsibility or liability whatsoever resulting from its use. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product.

This listing must not be considered exhaustive. It does exonerate the user from ensuring that other legal obligations than those mentioned do not exist, relating to the use and storage of the product for which he solely is responsible.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021

TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regard to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use.

Trade Name: Aloe Vera Extract 200:1

Doc: RMSDS - Aloe Vera Extract 200:1

TR Ref. Number: RMTR-0116A

Rev.: 02

Rev. Date: 06/12/2021