

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

## 1.1 COMPANY IDENTIFICATION

Company's Name: Trulux Pty Ltd  
Email address: [info@trulux.com.au](mailto:info@trulux.com.au)  
Website: [www.trulux.com.au](http://www.trulux.com.au)  
Contact number: +61 (02) 9975 2655  
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

## 1.2 PRODUCT IDENTIFICATION

Trade name: Surfadone LP 300  
Reference number: RMTR-0513A  
Classification: Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

## 1.3 RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST

Identified uses: Raw Material  
Uses advised against: No further information available.

## 1.4 DETAILS OF THE SUPPLIER OF THE SUBSTANCE INFORMATION SHEET

Supplier's Company: Trulux Pty Ltd  
Website: [www.trulux.com.au](http://www.trulux.com.au)  
Address: C3/ 1-3 Rodborough Rd, Frenchs Forest NSW 2086 Australia

---

**Product's Name:** Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Doc:** RMSDS-Surfadone LP 300

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

## 1.5 EMERGENCY CONTACTS – INSTITUTIONAL CENTRES

Australia

Poisons Information Centre 13 11 26

---

## 2 HAZARDS IDENTIFICATION

### GHS classification of the substance/mixture

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition).

---

## 3 COMPOSITION/ INFORMATION ON INGREDIENTS

Name	Concentration (%)
Ingredients determined not to be hazardous.	100

---

## 4 FIRST AID MEASURES

Inhalation: If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and / or persist seek medical attention.

Ingestion: Do not induce vomiting. Wash out mouth thoroughly with water. Seek medical attention.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

Skin contact:	Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.
Eyes contact:	If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. If symptoms develop and/or persist seek medical attention.
Ingestion:	DO NOT induce vomiting. Rinse mouth with water. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.
First Aid Facilities:	Eyewash and normal washroom facilities.
Advice to Doctors:	Treat symptomatically.
Other Information:	For advice in an emergency, contact a Poisons Information Centre or a doctor at once. (131 126)

---

## 5 FIRE FIGHTING MEASURES

Suitable extinguishing media:	Carbon dioxide, dry chemical or foam.
Unsuitable extinguishing media:	Do not use water jet.
Hazards from Combustion Products:	Under fire conditions this product may emit toxic and/or irritant fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.
Specific Hazards Arising From The Chemical:	This product will burn if exposed to fire.

---

**Product's Name:** Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Doc:** RMSDS-Surfadone LP 300

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

Precautions in connection with Fire:	Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.
--------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

---

## 6 ACCIDENTAL RELEASE MEASURES

### Emergency Procedures

Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe in vapours or dust. Wear personal respiratory protection and full protective clothing to minimise exposure.

Liquid form: Extinguish or remove all sources of ignition and stop leak if safe to do so. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal.

Solid form: Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal.

Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

---

## 7 HANDLING AND STORAGE

### Precautions for Safe Handling:

Avoid inhalation of vapours, mists and dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of vapours, mists or dust in the work

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

atmosphere. Do not use near ignition sources. Do not pressurise, cut, heat or weld containers as they may contain hazardous residues. Establish good housekeeping practices.

Solid form: Remove dust accumulation on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds.

Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area away from heat, sources of ignition and out of direct sunlight and moisture. Store away from incompatible materials such as materials that support combustion; oxidising agents, strong acids, foodstuffs, and clothing. Store in suitable, labelled containers. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 (2017)- The storage and handling of flammable and combustible liquids.

For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745 (2012) - 'Code of Practice for Handling Combustible Dusts'.

### **Storage Temperatures**

Preferably, store between 5 °C and 39 °C.

---

## **8 EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Occupational exposure limit values: No Exposure Limit Established.

Biological Limit Values: No biological limits allocated.

### **Appropriate Engineering Controls**

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

Provide sufficient ventilation to keep airborne levels below the exposure limits or as low as possible. Where vapours or mists are generated, particularly in enclosed areas, and natural ventilation is inadequate, a flameproof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.

## **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapour, mist or dust/particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protection requirements.

Reference should be made to Australian Standards AS/NZS 1715 2009, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716 2012, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

## **Eye Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 2 & 6 2012 - Eye Protectors for Industrial Applications.

## **Hand Protection**

Wear gloves of impervious material such as PVC, which is suitable for casual contact. Neoprene or nitrile gloves are recommended, for direct contact for more than 2 hours. Final choice of appropriate gloves will vary according to individual circumstances i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.

Reference should be made to AS/NZS 2161.1 2016: Occupational protective gloves - Selection, use and maintenance.

## **Body Protection**

Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

## **Other Information**

Solid form:

No exposure standards have been established for this material, however, the TWA exposure standards for dust not otherwise specified is 10 mg/m<sup>3</sup>. As with all chemicals, exposure should be kept to the lowest possible levels.

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight hour working day, for a five-day week.

Source: Safe Work Australia

---

## **9 PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Form:	Solid/Liquid
Appearance:	Solid/Liquid
Colour:	Various
Odour:	Typical

---

## **10 STABILITY AND REACTIVITY**

Chemical Stability:	Stable under normal conditions of storage and handling.
Possibility of Hazardous Reactions:	Reacts with incompatible materials. May react with strong oxidising agents (eg. chlorates, peroxides), especially at high temperatures.
Hazardous Polymerization:	Will not occur.
Conditions to Avoid:	Dust, heat, open flames and other sources of ignition. Extremes

---

**Product's Name:** Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Doc:** RMSDS-Surfadone LP 300

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

of temperature (preferably, store between 5°C and 39°C). The product is combustible when heated >300°C.

**Incompatible Materials:** May react with strong oxidising agents (eg. chlorates, peroxides), especially at high temperatures.

**Hazardous Decomposition Products:** Thermal decomposition may result in the release of toxic and/or irritant fumes including: carbon dioxide, carbon monoxide and oxides of nitrogen.

---

## 11 TOXICOLOGICAL INFORMATION

**Ingestion:** Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

**Inhalation:** Inhalation of dusts/vapors may irritate the respiratory system.

**Skin:** May be irritating to skin. The symptoms may include redness, itching and swelling.

**Eye:** May be irritating to eyes. The symptoms may include redness, itching and tearing.

**Respiratory sensitisation:** Not expected to be a respiratory sensitiser.

**Skin Sensitisation:** Not expected to be a skin sensitiser.

**Germ cell mutagenicity:** Not considered to be a mutagenic hazard.

**Carcinogenicity:** Not considered to be a carcinogenic hazard.

**Reproductive Toxicity:** Not considered to be toxic to reproduction.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021



# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

STOT-single exposure:	Not expected to cause toxicity to a specific target organ.
STOT-repeated exposure:	Not expected to cause toxicity to a specific target organ.
Aspiration Hazard:	Not expected to be an aspiration hazard.

---

## 12 ECOLOGICAL INFORMATION

Ecotoxicity:	No ecological data available for this material.
Persistence and degradability:	Insoluble in water - can be separated from water mechanically in suitable effluent treatment plants.
Mobility:	Non-volatile and absorption into soil solid phase not expected.
Environmental Protection:	Prevent this material entering waterways, drains and sewers.

---

## 13 DISPOSAL CONSIDERATIONS

Disposal considerations:	The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.
--------------------------	--------------------------------------------------------------------------------------------------------------------------

---

## 14 TRANSPORT INFORMATION

### Transport Information

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition).

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

**U.N. Number**

None Allocated.

**UN proper shipping name**

None Allocated.

**Transport hazard class(es)**

None Allocated.

**Packing Group**

None Allocated.

**UN Number (Air Transport, ICAO)**

None Allocated.

**IATA/ICAO Proper Shipping Name**

Not dangerous for conveyance under IATA code.

**IATA/ICAO Hazard Class**

None Allocated.

**IATA/ICAO Packing Group**

None Allocated.

**IMDG UN No**

None Allocated.

**IMDG Proper Shipping Name**

Not dangerous for conveyance under IMO/IMDG code.

**IMDG Hazard Class**

None Allocated.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

## **IMDG Pack. Group**

None Allocated.

## **IMDG Marine pollutant**

No.

## **Transport in Bulk**

Not available.

## **Special Precautions for User**

Not available.

---

## **15 REGULATORY AND OTHER INFORMATION**

Safety, health and environmental regulations specific for the mixture or substance:

### **Regulatory information**

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

### **Poisons Schedule**

Not Scheduled.

### **Australia (AICS)**

All components of this product are listed on the Inventory or exempted.

---

**Product's Name:** Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Doc:** RMSDS-Surfadone LP 300

**Rev.:** 03

**Rev. Date:** 01/12/2021

# TRULUX SAFETY DATA SHEET

Provides critical information about hazardous chemicals.

---

## 16 OTHER INFORMATION

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics by concentration, evaporation, addition or other substances, or other means may present hazards not specifically addressed herein and which must be evaluated by the user.

This sheet completes the technical sheets but it does not replace them. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied is made and Trulux Pty Ltd assumes no legal responsibility or liability whatsoever resulting from its use. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product.

This listing must not be considered exhaustive. It does exonerate the user from ensuring that other legal obligations than those mentioned do not exist, relating to the use and storage of the product for which he solely is responsible.

The information and recommendations contained herein are to the best of the manufacturer's knowledge and belief accurate and reliable as of the date indicated. No representation warranty or guarantee, however, is made with regards to accuracy, reliability or completeness. Conditions of use of the material are under the control of the user; therefore, it is the user's responsibility to satisfy itself as to the suitability and completeness of such information for its own particular use.

---

**Product's Name:** Surfadone LP 300

**Doc:** RMSDS-Surfadone LP 300

**TR Ref. Number:** RMTR-0531A

**Rev.:** 03

**Rev. Date:** 01/12/2021